

SUPERIOR PERFORMANCE

POWER & REFINEMENT

Ever since its inception, TVS Jupiter has kept the consumers' needs at the forefront and delivered on its brand philosophy of offering 'ZYADA' on every count.

Over **4.5 million happy customers** stand testament to this philosophy.

Taking the legacy of TVS Jupiter forward, the all-new

TVS Jupiter 125 is truly bigger, better and powerful. It is the perfect blend of style & practicality, redefining your daily commute. So get set, take the leap and experience the

ZYADA ride.









PREMIUM STYLE

STYLISH & PREMIUM



STYLISH LED HEADLAMP WITH VISOR



ELEGANT TAIL LAMP





BIGGER SPACE

LARGER & MORE CONVENIENT



LARGEST UNDERSEAT STORAGE SPACEBigger-than-ever storage space of 33 L that can comfortably fit two helmets





SOLID SAFETY

HELPING YOU STAY SAFE IN ALL YOUR JOURNEYS



HIGH MOUNT REFLECTOR

DISC BRAKE WITH SYNC BRAKING TECHNOLOGY For safe & better braking stability

VERSATILE CONVENIENCE

FOR ALL YOUR JOURNEYS - SHORT OR LONG



Mileage performance indicators help with information such as Distance-to-Empty, Average Fuel Efficiency & Low Fuel Indicator







DYNAMIC COMFORT

RIDING COMFORT UNDER ALL CONDITIONS





EASY GROUND REACH The optimum seat height ensures that your legs reach the ground easily



ADVANCED TELESCOPIC SUSPENSION



ADJUSTABLE REAR SHOCKS
Adjustable rear shocks
for extra cushioning

BODY BALANCE TECHNOLOGY Body Balance Technology helps

Body Balance Technology help make the vehicle easier to control and manoeuvre

SPECIFICATIONS

ENGINE (BS-VI compliant)

Single cylinder, 4-stroke, Air cooled Type

Displacement 124.8cc Bore x Stroke 53.5 x 55.5 mm

ETFI-Fuel injection - Closed loop Fuel Supply System

Air Filter Type Paper filter

Maximum Power 6.0 kW @ 6500 rpm 10.5 Nm @ 4500 rpm Maximum Torque Transmission Type CVT automatic

ELECTRICALS

ECU Controlled ignition Ignition 12V, 4Ah MF battery Battery LED with Clear lens with MFR Headlamp Tail Lamp Bulb with LED light guide Starting System Electric silent start

CHASSIS & SUSPENSION

High rigidity underbone type Frame

1852 x 681 x 1168 Dimensions (Ixbxh)

Wheelbase 1275 mm

Ground Clearance 163 mm (unladen) Seat Length 790 mm

Kerb Weight 108 kg Fuel Tank Capacity 5.1 L Wheels Allov

Front Suspension Telescopic hydraulic

Rear Suspension Monotube Inverted Gas (MIG) filled shock

with Spring aid 3-step adjustable

BRAKES & TYRES

Front 220 mm Disc. 130 mm Drum

Rear 130 mm Drum

Tyre Size (Front & Rear) 90/90-12 54J (tubeless)

COLOURS















