



TVS SMARTXONNECT[™] TECHNOLOGY

With TVS Jupiter, we brought you the ZYADA KA FAYDA, and made it 'ZYADA' better with TVS Jupiter 125. The much-loved scooter now gets the most advanced SmartXonnect[™] variant with 60+ connected features to cater to the demands of today's urban commuting. With a perfect blend of futuristic, connected & practical





BLUETOOTH CONNECTED Risk-free riding with hands free accessibility.



CALL & SOCIAL **MEDIA ALERTS**

Always stay-in-touch with your loved ones.



TRAFFIC **TIME SCREENS**

Stay informed with real-time news, sports and weather updates.



NAVIGATION

Reach your destination easily with turn-by-turn navigation.



DISTANCE-TO-EMPTY

Say goodbye to unexpected fuel stops with Distance-to-Empty (DTE).



Stay updated about your scooter's average

AFE/IFE

mileage & instant fuel economy now on your SmartXonnect[™] cluster.



STYLISH TAIL LAMP



DIAMOND-CUT ALLOY WHEELS






LARGEST 33 L UNDERSEAT STORAGE











Indicators and tail lamp will start flashing on and off to warn other drivers when the vehicle is not working properly.



ZYADA COMFORT



COMFORTABLE BACKREST FOR PILLION RIDER NEW



LONGEST FLAT SEAT



ADJUSTABLE REAR SHOCKS FOR EXTRA CUSHIONING



JUDIFER 000

6

SMOOTH BODY BALANCE TECHNOLOGY - MAKES THE VEHICLE EASIER TO CONTROL.



ZYADA COLOURS







SPECIFICATIONS

ENGINE (BS-VI compliant)

Type Displacement Bore x Stroke Fuel Supply System Air Filter Type Maximum Power Maximum Torque Transmission Type

ELECTRICALS

Ignition Battery Headlamp Tail Lamp Starting System

CHASSIS & SUSPENSION

Frame Dimensions (lxbxh) Wheelbase Ground Clearance Seat Length Kerb Weight Fuel Tank Capacity Wheels Front Suspension Rear Suspension

BRAKES & TYRES

Front Rear Tyre Size (Front & Rear) Single cylinder, 4-stroke, Air cooled 124.8cc 53.5 x 55.5 mm ETFI-Fuel injection - Closed loop Paper filter 6.0 kW @ 6500 rpm 10.5 Nm @ 4500 rpm CVT automatic

ECU-Controlled ignition 12V, 4Ah MF battery LED with Clear lens with MFR Bulb with LED light guide Electric silent start

High rigidity underbone type 1852 x 691 x 1168 1275 mm 163 mm (unladen) 790 mm 108 kg 5.1 L Alloy Telescopic hydraulic Monotube Inverted Gas (MIG) filled shock with Spring-aid 3-step adjustable

220 mm Disc 130 mm Drum 90/90-12 54J (tubeless)

> **TVS MOTOR COMPANY LIMITED** P. B. No. 4, Harita, Hosur - 635 109, Tamil Nadu, India. Telephone: +91 (4344) 276780 Fax: +91 (4344) 276878

ALWAYS WEAR A HELMET WHILE RIDING.

tvsjupiter I www.tvsmotor.com/tvs-jupiter-125/disc I CALL: 1800 315 7775

