

Introducing TVS JUPITER ZX with TVS International Internat

> NEXT GEN STOP-GO TECHNOLOGY. MORE CONVENIENCE. MORE FUEL SAVINGS.





TVS in LelliGC

**TVS intelliGo** enhances riding comfort, mileage and reduces emissions by intelligently switching off the engine during long idling like traffic signals and other transient stops. The vehicle is ready to go by a simple throttle rev which enhances convenience.

# intelliGO Benefits

### Comfortable Riding Experience

With IntelliGo's automatic start-stop system, enjoy a more comfortable ride

### Enhanced Mileage

Better fuel economy as fuel is used only when required

## Hassle-free Startability

At all operating conditions and traffic situations as well



The truly Zyada Ka Fayda scooter now comes with **ETFi** (Eco Thrust Fuel Injection), a new age fuel injection technology optimized for better economy and performance. The TVS Jupiter's refined engine delivers enhanced mileage, better rideability and durability for your vehicle and a superior riding experience.

# ETFi Benefits

Improved Driveability Smooth power delivery with jerk-free riding

### Easy Maintenance

*Timely diagnosis through OBD* (On-board diagnostics) keeps maintenance low

### Superior Durablity

*Effective component protection at all operating conditions lead to durability* 

## ZYADA CONVENIENCE

True to the promise of offering 'zyada', the new TVS Jupiter now comes with thoughtfully designed features ensuring ease of use and convenience.





## ZYADA SAFETY

The safety features of the new TVS Jupiter are tailored to keep the rider secure irrespective of changing conditions.



## ZYADA STYLE

The new TVS Jupiter strikes a balance between style and substance with unique features that gives you the element of style with each ride.



# ZX intelliGO COLOURS

# ZX intelliGO





# **SPECIFICATIONS**

#### ENGINE (BS-VI compliant)

Type Displacement Bore x Stroke Air Filter Type Maximum Power Maximum Torque Transmission Type Starting System

#### ELECTRICALS

lgnition Battery Headlamp

#### **CHASSIS & SUSPENSION**

Frame Dimensions (Ixbxh) Wheelbase Ground Clearance Kerb Weight Wheels Front Suspension Rear Suspension

#### **BRAKES & TYRES**

Front & Rear Tyre Size (Front & Rear) Single cylinder, 4 stroke, CVTi, fuel injection 109.7cc 53.5 x 48.8 mm Viscous paper filter 5.8 kW @ 7500 rpm 8.8 Nm @ 5500 rpm CVT automatic Kick and electric starter

ECU Controlled ignition 12V, 4Ah MF battery LED

High rigidity underbone type 1834 x 678 x 1286 mm 1275 mm 163 mm (unladen) 109 kg Alloy Telescopic hydraulic 3 step adjustable type coil spring with

130 mm Drum (SBT) 90/90-12 54 J (tubeless)

hvdraulic damper

ALWAYS WEAR A HELMET WHILE RIDING.

STARLIGHT BLUE











